

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: SANITEC WASHDET ARGAN

Trade code: 2024

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Hand and automatic washing liquid

#### 1.3. Details of the supplier of the safety data sheet

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049 8792456  
- [www.sanitecitalia.com](http://www.sanitecitalia.com)

Competent person responsible for the safety data sheet:

[regulatory@italchimica.it](mailto:regulatory@italchimica.it)

#### 1.4. Emergency telephone number

Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza Sant'Onofrio, 4 Roma Tel. 06 68593726

Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459

Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333

Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000

Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343

Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819

Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444

Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel. 02-66101029

Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel. 800883300

Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

# Safety Data Sheet

## SANITEC WASHDET ARGAN

◆ Warning, Eye Irrit. 2, Causes serious eye irritation.  
 Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash face and hands and any exposed skin after use.

P280 Wear eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special Provisions:

None

Contains

Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

Product contents:

Anionic surfactants 5 - 15 %

Soap, Non-ionic surfactants < 5 %

The product also contains: Enzymes, Perfumes, Optical brighteners

Allergens: Hexyl acetate, Hexyl Cinnamal, Linalool

Preservatives: Metilchloroisotiazolinone, Metilisotiazolinone, Benzisothiazolinone

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 5% - < 7.5%	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	CAS: 85536-14-7 EC: 287-494-3 REACH No.: 01-2119490234-40-0000	◆ 3.1/4/Oral Acute Tox. 4 H302 4.1/C3 Aquatic Chronic 3 H412 ◆ 3.2/1B Skin Corr. 1B H314 ◆ 3.3/1 Eye Dam. 1 H318
>= 5% - < 7.5%	Alcohols, C12-14, ethoxylated,sulfates,	CAS: 68891-38-3	◆ 3.2/2 Skin Irrit. 2 H315

# Safety Data Sheet

## SANITEC WASHDET ARGAN

	sodium salts	REACH No.: 01-2119488639-16-0009	4.1/C3 Aquatic Chronic 3 H412 ◆ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: 5% <= C < 10%: Eye Irrit. 2 H319 C >= 10%: Eye Dam. 1 H318
>= 2.5% - < 5%	Alcohols, C12-13, branched and linear, ethoxylated	CAS: 160901-19-9 EC: 931-954-4	◆ 3.1/4/Oral Acute Tox. 4 H302 4.1/C3 Aquatic Chronic 3 H412 ◆ 3.3/1 Eye Dam. 1 H318
< 2.5%	Fatty acids, coco, potassium salts	CAS: 61789-30-8 EC: 263-049-9	◆ 3.3/2 Eye Irrit. 2 H319
< 2.5%	sodium hydroxide	Index number: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 REACH No.: 01-2119457892-27-xxxx	◆ 2.16/1 Met. Corr. 1 H290 ◆ 3.2/1A Skin Corr. 1A H314 ◆ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 5%: Skin Corr. 1A H314 2% <= C < 5%: Skin Corr. 1B H314 0,5% <= C < 2%: Skin Irrit. 2 H315 0,5% <= C < 2%: Eye Irrit. 2 H319
< 2.5%	subtilisin	Index number: 647-012-00-8 CAS: 9014-01-1 EC: 232-752-2 REACH No.: 01-2119480434-38-xxxx	◆ 3.1/4/Oral Acute Tox. 4 H302 ◆ 3.8/3 STOT SE 3 H335 ◆ 4.1/A1 Aquatic Acute 1 H400 ◆ 4.1/C2 Aquatic Chronic 2 H411 ◆ 3.2/2 Skin Irrit. 2 H315 ◆ 3.3/1 Eye Dam. 1 H318 ◆ 3.4.1/1 Resp. Sens. 1 H334
< 2.5%	Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	Index number: 613-167-00-5 CAS: 55965-84-9 REACH No.: 01-2120764691-48-XXXX	◆ 3.1/2/Dermal Acute Tox. 2 H310 ◆ 3.1/2/Inhal Acute Tox. 2 H330 ◆ 3.3/1 Eye Dam. 1 H318 ◆ 3.1/3/Oral Acute Tox. 3 H301 ◆ 3.2/1 Skin Corr. 1 H314 ◆ 3.4.2/1 Skin Sens. 1 H317 ◆ 4.1/A1 Aquatic Acute 1 H400 ◆ 4.1/C1 Aquatic Chronic 1 H410 EUH071 Specific Concentration Limits: C >= 0,6%: Skin Corr. 1C H314 0,06% <= C < 0,6%: Skin Irrit. 2 H315 C >= 0,6%: Eye Dam. 1 H318 0,06% <= C < 0,6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1 H317
< 2.5%	N,N,N,N-dimetilformamide	Index number: 616-001-00-X CAS: 68-12-2 EC: 200-679-5 REACH No.: 01-2119475605-32-XXXX	◆ 2.6/3 Flam. Liq. 3 H226 ◆ 3.7/1B Repr. 1B H360D ◆ 3.3/2 Eye Irrit. 2 H319 ◆ 3.1/4/Dermal Acute Tox. 4 H312 ◆ 3.1/4/Inhal Acute Tox. 4 H332

# Safety Data Sheet

## SANITEC WASHDET ARGAN

SVHC, PBT, vPvB, endocrine disruptor substances:

< 2.5% N,N,N,N-dimetilformamide

REACH No.: 01-2119475605-32-XXXX, Index number: 616-001-00-X, CAS: 68-12-2, EC: 200-679-5  
SVHC

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

### 6.4. Reference to other sections

See also section 8 and 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

sodium hydroxide - CAS: 1310-73-2

ACGIH - STEL: Ceiling 2 mg/m<sup>3</sup> - Notes: URT, eye, and skin irr

subtilisin - CAS: 9014-01-1

ACGIH - STEL: Ceiling 0.00006 mg/m<sup>3</sup> - Notes: Asthma, skin, URT and LRT irr

EU - TWA: 30 mg/m<sup>3</sup> - STEL: 0.00004 mg/m<sup>3</sup>

N,N,N,N-dimetilformamide - CAS: 68-12-2

EU - TWA(8h): 15 mg/m<sup>3</sup>, 5 ppm - STEL: 30 mg/m<sup>3</sup>, 10 ppm - Notes: Skin

ACGIH - TWA(8h): 5 ppm - Notes: Skin, A3, BEI - Liver dam, eye and URT irr

DNEL Exposure Limit Values

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

Worker Professional: 170 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 12 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 85 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 3 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 0.85 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

Worker Professional: 2750 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 175 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 52 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

subtilisin - CAS: 9014-01-1

Consumer: 1.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 3.6 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects

N,N-N,N-dimetilformamide - CAS: 68-12-2

Worker Professional: 15 04 - Consumer: 15 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 30 04 - Consumer: 30 04 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 15 04 - Consumer: 15 04 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 30 04 - Consumer: 30 04 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Professional: 3.31 mg/kg - Consumer: 1.98 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 26.3 mg/kg - Consumer: 15.8 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 0.446 03 - Consumer: 0.267 03 - Exposure: Human Dermal - Frequency: Long Term, local effects

Consumer: 3.55 03 - Exposure: Human Dermal - Frequency: Short Term, local effects

Consumer: 1.98 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

Target: Fresh Water - Value: 0.287 mg/l

Target: Marine water - Value: 0.0287 mg/l

Target: Microorganisms in sewage treatments - Value: 3.43 mg/l

Target: Freshwater sediments - Value: 0.287 mg/l

Target: Soil (agricultural) - Value: 35 mg/kg

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

Target: Fresh Water - Value: 0.24 mg/l

Target: Soil (agricultural) - Value: 0.946 mg/kg

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water - Value: 0.024 mg/l

Target: Marine water sediments - Value: 0.545 mg/kg

subtilisin - CAS: 9014-01-1

Target: Fresh Water - Value: 1.7 03

Target: Marine water - Value: 0.17 03

Target: Microorganisms in sewage treatments - Value: 65000 03

Target: Soil (agricultural) - Value: 0.568 mg/kg

### 8.2. Exposure controls

Eye protection:

Use closed safety visors complying with EN 166, do not use eye lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves in compliance with the UNI EN 374-3 standard of class 3 or higher (eg PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use.

Respiratory protection:

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Not needed for normal use.  
 Thermal Hazards:  
 None  
 Environmental exposure controls:  
 None  
 Appropriate engineering controls:  
 None

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Opaque	--	--
Odour:	Argan	Olfactory	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	N.A.		--
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
pH:	8.5 +/- 0.5	Instrumental Control	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Excellent	Internal Tests	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Density and/or relative density:	1.0200 +/- 0,01 gr/ml	--	--

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Relative vapour density:	Not Relevant	--	--								
Particle characteristics:											
Particle size:	N.A.	--	--								
9.2. Other information											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;"><b>Properties</b></th><th style="text-align: left; padding: 2px;"><b>Value</b></th><th style="text-align: left; padding: 2px;"><b>Method:</b></th><th style="text-align: left; padding: 2px;"><b>Notes:</b></th></tr> </thead> <tbody> <tr> <td style="padding: 2px;">Viscosity:</td><td style="padding: 2px;">450+/-250</td><td style="padding: 2px;">Instrumental Control</td><td style="padding: 2px;">--</td></tr> </tbody> </table>				<b>Properties</b>	<b>Value</b>	<b>Method:</b>	<b>Notes:</b>	Viscosity:	450+/-250	Instrumental Control	--
<b>Properties</b>	<b>Value</b>	<b>Method:</b>	<b>Notes:</b>								
Viscosity:	450+/-250	Instrumental Control	--								
<b>SECTION 10: Stability and reactivity</b>											
<b>10.1. Reactivity</b> Stable under normal conditions											
<b>10.2. Chemical stability</b> Stable under normal conditions											
<b>10.3. Possibility of hazardous reactions</b> None											
<b>10.4. Conditions to avoid</b> Stable under normal conditions.											
<b>10.5. Incompatible materials</b> None in particular.											
<b>10.6. Hazardous decomposition products</b> None.											
<b>SECTION 11: Toxicological information</b>											
<b>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>											
Toxicological information of the product: N.A.											
Toxicological information of the main substances found in the product: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7											
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg - Source: OECD TG401 - Notes: Nocivo se ingerito											
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD TG 402											
b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Yes - Source: OECD TG 404 - Notes: Corrosivo											
c) serious eye damage/irritation: Test: Eye Irritant - Route: Skin - Species: Rabbit Yes - Source: OECD TG 405 - Notes: Può procurare Dani irreversibili agli occhi											
d) respiratory or skin sensitisation: Test: Respiratory Sensitization - Route: Inhalation No - Source: OECD TG 406 - Notes: Porcellino d'India non sensibilizzante											
e) germ cell mutagenicity: Test: Mutagenesis - Species: Salmonella Typhimurium No - Source: OECD TG 401 - Notes: Test di Ames - TEst in Vitro											
f) carcinogenicity: Test: Carcinogenicity No											
g) reproductive toxicity: Test: Reproductive Toxicity No - Notes: NOALE 350mg/kg giorno											

# Safety Data Sheet

## SANITEC WASHDET ARGAN

- h) STOT-single exposure:  
Test: Skin Sensitization No
- i) STOT-repeated exposure:  
Test: Skin Sensitization No  
Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3
- a) acute toxicity:  
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg  
Test: LD50 - Route: Oral - Species: Rat 4100 mg/kg
- b) skin corrosion/irritation:  
Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVA OECD 404  
Test: Eye Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVE OECD 405  
Test: Respiratory Tract Irritant - Route: Inhalation Negative
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Route: Skin Negative - Notes: Organismo - Porcellino d'India
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 471  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 476  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 475
- g) reproductive toxicity:  
Test: Reproductive Toxicity - Species: Rat > 300 mg/kg  
Alcohols, C12-13, branched andlinear, ethoxylated - CAS: 160901-19-9
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg - Notes: Nocivo Se Ingerito  
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
- b) skin corrosion/irritation:  
Test: Skin Irritant - Route: Skin - Species: Rabbit No
- c) serious eye damage/irritation:  
Test: Eye Irritant - Route: Skin - Species: Rabbit Yes - Notes: Può provocare danni irreversibili gravi
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Route: Skin - Species: Guinea Pig No
- e) germ cell mutagenicity:  
Test: Genotoxicity No
- f) carcinogenicity:  
Test: Carcinogenicity No
- g) reproductive toxicity:  
Test: Reproductive Toxicity - Species: Rat No
- i) STOT-repeated exposure:  
Test: STOT No  
Test: STOT No
- Toxicological kinetics, metabolism and distribution information:  
Test: Teratogenicity - Species: Rat No  
Fatty acids, coco, potassium salts - CAS: 61789-30-8
- a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat > 1500 mg/kg  
N,N,N,N-dimetilformamide - CAS: 68-12-2
- a) acute toxicity:  
Test: LD50 - Route: Oral = 3010 mg/kg  
Test: LC50 - Route: Inhalation > 5.85 mg/l - Duration: 4h  
Test: LD50 - Route: Skin > 3160 mg/kg

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

- a) acute toxicity;  
b) skin corrosion/irritation;  
c) serious eye damage/irritation;

# Safety Data Sheet

## SANITEC WASHDET ARGAN

- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96 - Notes: OECD TG 203 -

Prova semistatica | US EPA 1975 Prova statica

Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48 - Notes: OECD TG 202 -  
Prova Statica

Endpoint: EC50 - Species: Algae > 10-100 mg/l - Duration h: 72 - Notes: OECD TG 201  
Prova semistatica

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.1-1 mg/l - Duration h: 4704 - Notes: Prova a flusso  
continuo

Endpoint: NOEC - Species: Daphnia > 1-10 mg/l - Duration h: 504 - Notes: Prova a flusso  
continuo

#### c) Bacteria toxicity:

51 mg/kg - Duration h: 336 - Notes: EC10 - Test di inibizione di moltiplicazione  
cromosomica

#### d) Terrestrial toxicity:

Endpoint: LC50 > 1000 mg/kg - Duration h: 336 - Notes: OECD TG 207 - TEst su Eisenia  
fetica

#### e) Plant toxicity:

Endpoint: EC50 167 mg/kg - Duration h: 504 - Notes: OECD TG 208 - Test su Sorghum  
bicolor

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

#### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 7.4 mg/l - Duration h: 48

Species: Algae 27.7 mg/l - Duration h: 72 - Notes: ErC50 Tasso di crescita

Endpoint: LC50 - Species: Fish 7.1 mg/l - Duration h: 96

Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Duration h: 504

Endpoint: NOEC - Species: Fish 1 mg/l - Duration h: 1080

#### c) Bacteria toxicity:

> 10 g/kg - Duration h: 16 - Notes: EC10

Alcohols, C12-13, branched andlinear, ethoxylated - CAS: 160901-19-9

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96 - Notes: OECD TG 203

Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48 - Notes: OECD TG 202

Endpoint: EC50 - Species: Algae > 1-10 mg/l - Duration h: 72 - Notes: OECD TG 201

#### c) Bacteria toxicity:

Endpoint: EC50 - Species: Bacteria = 140 mg/l

#### d) Terrestrial toxicity:

Endpoint: NOEC = 10 mg/kg - Notes: OECD TG 208

N,N,N-dimetilformamide - CAS: 68-12-2

#### a) Aquatic acute toxicity:

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Endpoint: LC50 - Species: Fish = 7100 mg/l - Duration h: 96

### 12.2. Persistence and degradability

N.A.

### 12.3. Bioaccumulative potential

N.A.

### 12.4. Mobility in soil

N.A.

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

### 12.7. Other adverse effects

None

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## SECTION 14: Transport information

### 14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

### 14.6. Special precautions for user

N.A.

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

# Safety Data Sheet

## SANITEC WASHDET ARGAN

Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 30

Restriction 72

Restriction 75

Restriction 76

Pronto all'Uso

Volatile Organic compounds - VOCs = 0.00 %

Volatile Organic compounds - VOCs = 0.00 g/Kg

Volatile Organic compounds - VOCs = 0.00 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr. 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

N,N,N,N-dimetilformamide

Toxic to reproduction

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H360D May damage the unborn child.

H319 Causes serious eye irritation.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H290 May be corrosive to metals.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

# Safety Data Sheet

## SANITEC WASHDET ARGAN

H310 Fatal in contact with skin.  
H330 Fatal if inhaled.  
H301 Toxic if swallowed.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1	3.2/1	Skin corrosion, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Resp. Sens. 1	3.4.1/1	Respiratory Sensitisation, Category 1
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Repr. 1B	3.7/1B	Reproductive toxicity, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

# Safety Data Sheet

## SANITEC WASHDET ARGAN

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.  
Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.  
It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.