

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1. Product identifier**

Mixture identification:

Trade name: SANITEC DEO FRESH GOLD ARGAN

Trade code: 2301

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use:

No-gas liquid spray deodorant eliminates unpleasant odors

#### **1.3. Details of the supplier of the safety data sheet**

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049 8792456  
- [www.italchimica.it](http://www.italchimica.it)||

Competent person responsible for the safety data sheet:

[regulatory@italchimica.it](mailto:regulatory@italchimica.it)

#### **1.4. Emergency telephone number**

Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza Sant'Onofrio, 4 Roma Tel. 06 68593726

Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459

Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333

Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000

Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343

Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819

Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444

Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel. 02-66101029

Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel. 800883300

Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858

### **SECTION 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

EC regulation criteria 1272/2008 (CLP)

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

Hazard pictograms:

None

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P273 Avoid release to the environment.

Special Provisions:

None

Contains

3,7-dimethyloctan-3-ol: May produce an allergic reaction.

Hexyl Cinnamic Aldehyde: May produce an allergic reaction.

Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

The product also contains: Perfume

Allergens: Hexamethylindanopyran, Linalyl Acetate, GERANIOL

Preservatives: Benzisothiazolinone, Methylchloroisothiazolinone/ Methylisothiazolinone

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
< 2.5%	Etanolo	Index number: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 REACH No.: 01-2119457610-43-XXXX	⚠ 2.6/2 Flam. Liq. 2 H225 ⚠ 3.3/2 Eye Irrit. 2 H319 Specific Concentration Limits: C >= 50%: Eye Irrit. 2 H319
< 2.5%	Hexamethylindanopyran	Index number: 603-212-00-7 CAS: 1222-05-5 EC: 214-946-9 REACH No.: 01-2119488227	⚠ 4.1/A1 Aquatic Acute 1 H400 ⚠ 4.1/C1 Aquatic Chronic 1 H410

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

			-29-XXXX	
< 2.5%	3,7-dimethyloctan-3-ol	CAS: 78-69-3 EC: 201-133-9 REACH No.: 01-2119454788-21-XXXX		<span style="color: red;">!&gt;</span> 3.2/2 Skin Irrit. 2 H315 <span style="color: red;">!&gt;</span> 3.3/2 Eye Irrit. 2 H319 <span style="color: red;">!&gt;</span> 3.4.2/1B Skin Sens. 1B H317
< 2.5%	Hexyl Cinnamic Aldehyde	CAS: 165184-98-5 EC: 639-566-4 REACH No.: 01-2119533092-50-XXXX		<span style="color: red;">!&gt;</span> 3.4.2/1 Skin Sens. 1 H317 <span style="color: red;">!&gt;</span> 4.1/A1 Aquatic Acute 1 H400 <span style="color: red;">!&gt;</span> 4.1/C2 Aquatic Chronic 2 H411
< 2.5%	Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	Index number: 613-167-00-5 CAS: 55965-84-9 REACH No.: 01-2120764691-48-XXXX		<span style="color: red;">!&gt;</span> 3.1/2/Dermal Acute Tox. 2 H310 <span style="color: red;">!&gt;</span> 3.1/2/Inhal Acute Tox. 2 H330 <span style="color: red;">!&gt;</span> 3.3/1 Eye Dam. 1 H318 <span style="color: red;">!&gt;</span> 3.1/3/Oral Acute Tox. 3 H301 <span style="color: red;">!&gt;</span> 3.2/1C Skin Corr. 1C H314 <span style="color: red;">!&gt;</span> 3.4.2/1A Skin Sens. 1A H317 <span style="color: red;">!&gt;</span> 4.1/A1 Aquatic Acute 1 H400 M=100. <span style="color: red;">!&gt;</span> 4.1/C1 Aquatic Chronic 1 H410 M=100. EUH071 Specific Concentration Limits: C >= 0,6%: Skin Corr. 1C H314 0,06% <= C < 0,6%: Skin Irrit. 2 H315 C >= 0,6%: Eye Dam. 1 H318 0,06% <= C < 0,6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1A H317

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### 4.2. Most important symptoms and effects, both acute and delayed

None

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Suitable extinguishing media:  
Water.  
Carbon dioxide (CO2).  
Extinguishing media which must not be used for safety reasons:  
None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.

### 5.3. Advice for firefighters

Use suitable breathing apparatus.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand

### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

### 6.4. Reference to other sections

See also section 8 and 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
See also section 8 for recommended protective equipment.  
Advice on general occupational hygiene:  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Etanolo - CAS: 64-17-5  
DSR\_NIOSHREL - STEL: 1000 ppm - Notes: A3 - URT irr  
ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr  
DNEL Exposure Limit Values

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Etanolo - CAS: 64-17-5

Worker Industry: 380 04 - Worker Professional: 380 04 - Consumer: 114 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
Worker Industry: 8238 06 - Worker Professional: 8238 06 - Consumer: 13 04 - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects  
Worker Industry: 52.8 04 - Consumer: 13 04 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects  
Worker Industry: 7.5 mg/kg - Consumer: 3.75 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects  
Worker Industry: 10.56 04 - Consumer: 2.6 04 - Exposure: Human Inhalation - Frequency: Long Term, local effects  
Worker Industry: 10.56 04 - Consumer: 2.6 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
Worker Industry: 1.5 mg/kg - Consumer: 0.75 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

3,7-dimethyloctan-3-ol - CAS: 78-69-3

Worker Industry: 11.14 04 - Worker Professional: 11.14 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects  
Worker Industry: 3.16 06 - Worker Professional: 3.16 06 - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
Worker Industry: 190 07 - Worker Professional: 190 07 - Exposure: Human Dermal - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Etanolo - CAS: 64-17-5

Target: Fresh Water - Value: 0.96 mg/l  
Target: Marine water - Value: 0.79 mg/l  
Target: N.A. - Value: 2.75 mg/l  
Target: 08 - Value: 580 mg/l  
Target: Freshwater sediments - Value: 3.6 mg/kg  
Target: Marine water sediments - Value: 2.9 mg/kg  
Target: Soil (agricultural) - Value: 0.63 mg/kg  
Target: Food chain - Value: 0.38 N.A.

3,7-dimethyloctan-3-ol - CAS: 78-69-3

Target: Fresh Water - Value: 0.009 mg/l  
Target: Marine water - Value: 0.001 mg/l  
Target: 12 - Value: 0.089 mg/l  
Target: 08 - Value: 450 mg/l  
Target: Freshwater sediments - Value: 0.082 mg/kg  
Target: Marine water sediments - Value: 0.008 mg/kg  
Target: Soil (agricultural) - Value: 0.011 mg/l

### 8.2. Exposure controls

Eye protection:

Use closed safety visors complying with EN 166, do not use eye lenses.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Use protective gloves in compliance with the UNI EN 374-3 standard of class 3 or higher (eg PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Environmental exposure controls: None Appropriate engineering controls: None			
<b>SECTION 9: Physical and chemical properties</b>			
9.1. Information on basic physical and chemical properties			
Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Brown	--	--
Odour:	Feature	Olfactory	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	N.A.		--
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
pH:	5.5	Instrumental Control	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:		Internal Tests	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Density and/or relative density:	1.0000 g/mL +/-0,01 gr/ml	--	--
Relative vapour density:	Not Relevant	--	--
Particle characteristics:			

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Particle size:	N.A.	--	--
<p>9.2. Other information No other relevant information</p>			
<b>SECTION 10: Stability and reactivity</b>			
<b>10.1. Reactivity</b> Stable under normal conditions			
<b>10.2. Chemical stability</b> Stable under normal conditions			
<b>10.3. Possibility of hazardous reactions</b> None			
<b>10.4. Conditions to avoid</b> Stable under normal conditions.			
<b>10.5. Incompatible materials</b> None in particular.			
<b>10.6. Hazardous decomposition products</b> None.			
<b>SECTION 11: Toxicological information</b>			
<b>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>			
Toxicological information of the product: N.A.			
Toxicological information of the main substances found in the product: Etanolo - CAS: 64-17-5			
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 10470 mg/kg Test: LC50 - Route: Inhalation Vapour - Species: Rat > 117 mg/l Test: LD50 - Route: Skin - Species: Rabbit > 20000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 20000 ppm - Duration: 10h Test: LC50 - Route: Inhalation - Species: Mouse = 39 mg/m3 - Duration: 4h			
Hexamethylindanopyran - CAS: 1222-05-5			
a) acute toxicity: Test: LD50 - Route: Skin > 3250 mg/kg Test: LC50 - Route: Inhalation > 5040 mg/m3 Test: LD50 - Route: Oral > 3000 mg/kg			
3,7-dimethyloctan-3-ol - CAS: 78-69-3			
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 8270 mg/kg bw Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg bw			
If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.: a) acute toxicity; b) skin corrosion/irritation; c) serious eye damage/irritation; d) respiratory or skin sensitisation; e) germ cell mutagenicity; f) carcinogenicity; g) reproductive toxicity; h) STOT-single exposure; i) STOT-repeated exposure; j) aspiration hazard.			

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Etanolo - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72

Endpoint: EC50 - Species: Crostacei = 5012 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 13 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Crostacei = 9.6 mg/l - Duration h: 504

Endpoint: NOEC - Species: Fish = 250 mg/l - Duration h: 504

3,7-dimethyloctan-3-ol - CAS: 78-69-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: pesci 5 = 8.9 mg/l - Duration h: 96

I:

Endpoint: EC50 - Species: alghe 2 = 21.6 mg/l - Duration h: 72

### 12.2. Persistence and degradability

Etanolo - CAS: 64-17-5

Biodegradability: Readily biodegradable

### 12.3. Bioaccumulative potential

N.A.

### 12.4. Mobility in soil

N.A.

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

### 12.7. Other adverse effects

None

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## SECTION 14: Transport information

### 14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

### 14.6. Special precautions for user

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

N.A.  
14.7. Maritime transport in bulk according to IMO instruments  
N.A.

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) n. 2020/878  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Restriction 75

Pronto all'Uso

Volatile Organic compounds - VOCs = 4.91 %

Volatile Organic compounds - VOCs = 49.10 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr. 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

H410 Very toxic to aquatic life with long lasting effects.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.  
H310 Fatal in contact with skin.  
H330 Fatal if inhaled.  
H318 Causes serious eye damage.  
H301 Toxic if swallowed.  
H314 Causes severe skin burns and eye damage.  
EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.  
Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

# Safety Data Sheet

## SANITEC DEO FRESH GOLD ARGAN

Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.  
This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.