

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SANITEC DEO FRESH Pino & Ginepro

Trade code: 2302

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Room Freshener

1.3. Details of the supplier of the safety data sheet

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049 8792456

- www.italchimica.it||

Competent person responsible for the safety data sheet:

regulatory@italchimica.it

1.4. Emergency telephone number

Centro antiveneni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza Sant'Onofrio, 4 Roma Tel. 06 68593726

Centro antiveneni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459

Centro antiveneni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333

Centro antiveneni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000

Centro antiveneni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343

Centro antiveneni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819

Centro antiveneni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444

Centro antiveneni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel. 02-66101029

Centro antiveneni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel. 800883300

Centro antiveneni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

⚠ Warning, Skin Sens. 1A, May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

Special Provisions:

None

Contains

Cinnamal

4-tert-butylcyclohexyl acetate

Cineole

Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

The product also contains:

Perfume

Allergens:

p-mentha-1,3-diene; 1-isopropyl-4-methylcyclohexa-1,3-diene; alpha-terpinene, (1S,5S)-2,6,6-trimethylbicyclo[3.1.1]hept-2-ene, (-)-pin-2(10)-ene, Cinnamal, d-limonene, Allyl Caproate, COUMARIN, CITRAL, Terpinolene, Eugenol

Preservatives:

Benzisothiazolinone, Methylchloroisothiazolinone/ Methylisothiazolinone

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
< 2.5%	Etanolo	Index number: 603-002-00-5 CAS: 64-17-5 EC: 200-578-6 REACH No.: 01-2119457610-43-XXXX	⚠ 2.6/2 Flam. Liq. 2 H225 ⚠ 3.3/2 Eye Irrit. 2 H319 Specific Concentration Limits: C $\geq 50\%$: Eye Irrit. 2 H319

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

< 2.5%	4-tert-butylcyclohexyl acetate	CAS: 32210-23-4 EC: 250-954-9 REACH No.: 01-2119976286-24-XXXX	⚠ 3.4.2/1B Skin Sens. 1B H317
< 2.5%	Cineole	CAS: 470-82-6 EC: 207-431-5 REACH No.: 01-2119967772-24-XXXX	⚠ 2.6/3 Flam. Liq. 3 H226 ⚠ 3.4.2/1B Skin Sens. 1B H317
< 2.5%	Diphenyl ether	CAS: 101-84-8 EC: 202-981-2 REACH No.: 01-2119472545-33-XXXX	⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 4.1/A1 Aquatic Acute 1 H400 4.1/C3 Aquatic Chronic 3 H412
< 2.5%	Cinnamal	Index number: 606-155-00-6 CAS: 104-55-2 EC: 203-213-9 REACH No.: 01-2119935242-45-XXXX	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 3.4.2/1A Skin Sens. 1A H317 4.1/C3 Aquatic Chronic 3 H412 Specific Concentration Limits: C >= 0,01%: Skin Sens. 1A H317
< 2.5%	Allyl heptanoate	CAS: 142-19-8 EC: 205-527-1 REACH No.: 01-2119488961-23-XXXX	⚠ 3.1/3/Dermal Acute Tox. 3 H311 ⚠ 3.1/3/Oral Acute Tox. 3 H301 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=10. 4.1/C3 Aquatic Chronic 3 H412
< 2.5%	Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	Index number: 613-167-00-5 CAS: 55965-84-9 REACH No.: 01-2120764691-48-XXXX	⚠ 3.1/2/Dermal Acute Tox. 2 H310 ⚠ 3.1/2/Inhal Acute Tox. 2 H330 ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 3.1/3/Oral Acute Tox. 3 H301 ⚠ 3.2/1C Skin Corr. 1C H314 ⚠ 3.4.2/1A Skin Sens. 1A H317 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=100. ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=100. EUH071 Specific Concentration Limits: C >= 0,6%: Skin Corr. 1C H314 0,06% <= C < 0.6%: Skin Irrit. 2 H315 C >= 0,6%: Eye Dam. 1 H318 0,06% <= C < 0.6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1A H317
SECTION 4: First aid measures 4.1. Description of first aid measures			

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

In case of skin contact:
Immediately take off all contaminated clothing.
Remove contaminated clothing immediately and dispose off safely.
In case of eyes contact:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
In case of Ingestion:
Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
In case of Inhalation:
Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Etanolo - CAS: 64-17-5

DSR_NIOSHREL - STEL: 1000 ppm - Notes: A3 - URT irr

ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr

Diphenyl ether - CAS: 101-84-8

EU - TWA(8h): 7 mg/m³, 1 ppm - STEL: 14 mg/m³, 2 ppm

ACGIH - TWA(8h): 1 ppm - STEL: 2 ppm - Notes: (V) - URT and eye irr, nausea

DNEL Exposure Limit Values

Etanolo - CAS: 64-17-5

Worker Industry: 380 04 - Worker Professional: 380 04 - Consumer: 114 04 - Exposure:

Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 8238 06 - Worker Professional: 8238 06 - Consumer: 13 04 - Exposure:

Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects

Worker Industry: 52.8 04 - Consumer: 13 04 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 7.5 mg/kg - Consumer: 3.75 mg/kg - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Industry: 10.56 04 - Consumer: 2.6 04 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 10.56 04 - Consumer: 2.6 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 1.5 mg/kg - Consumer: 0.75 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Cineole - CAS: 470-82-6

Worker Industry: 7.05 04 - Worker Professional: 7.05 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2 06 - Worker Professional: 2 06 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 1.74 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1 06 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Allyl heptanoate - CAS: 142-19-8

Worker Industry: 2.97 04 - Worker Professional: 2.97 04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 0.84 06 - Worker Professional: 0.84 06 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Etanolo - CAS: 64-17-5

Target: Fresh Water - Value: 0.96 mg/l

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Target: Marine water - Value: 0.79 mg/l
Target: N.A. - Value: 2.75 mg/l
Target: 08 - Value: 580 mg/l
Target: Freshwater sediments - Value: 3.6 mg/kg
Target: Marine water sediments - Value: 2.9 mg/kg
Target: Soil (agricultural) - Value: 0.63 mg/kg
Target: Food chain - Value: 0.38 N.A.
Cineole - CAS: 470-82-6
Target: Fresh Water - Value: 57 03
Target: Marine water - Value: 5.7 03
Target: 12 - Value: 0.57 mg/l
Target: 08 - Value: 10 mg/l
Target: Freshwater sediments - Value: 1.425 mg/kg
Target: Marine water sediments - Value: 0.142 mg/kg
Target: Soil (agricultural) - Value: 0.25 mg/kg
Target: Food chain - Value: 40 mg/kg
Allyl heptanoate - CAS: 142-19-8
Target: Fresh Water - Value: 5.05 03
Target: Marine water - Value: 0.505 03
Target: 08 - Value: 10 mg/l
Target: Freshwater sediments - Value: 0.507 mg/kg
Target: Marine water sediments - Value: 0.057 mg/kg
Target: Soil (agricultural) - Value: 0.098 mg/kg

8.2. Exposure controls

Eye protection:

Protection for skin:

Protection for hands:

One-time gloves.

Respiratory protection:

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Green	--	--
Odour:	Feature	Olfactory	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	N.A.		--
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
pH:	5.5	Instrumental Control	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:		Internal Tests	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Density and/or relative density:	1.0000 g/mL +/-0,01 gr/ml	--	--
Relative vapour density:	Not Relevant	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information
No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

Etanolo - CAS: 64-17-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 10470 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 117 mg/l

Test: LD50 - Route: Skin - Species: Rabbit > 20000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 20000 ppm - Duration: 10h

Test: LC50 - Route: Inhalation - Species: Mouse = 39 mg/m³ - Duration: 4h

Cineole - CAS: 470-82-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4.3 g/kg

Test: LD50 - Route: Skin - Species: Rat > 2 g/kg

Diphenyl ether - CAS: 101-84-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2830 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 7940 mg/kg

Allyl heptanoate - CAS: 142-19-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 218 mg/kg

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Etanolo - CAS: 64-17-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72

Endpoint: EC50 - Species: Crostacei = 5012 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 13 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Crostacei = 9.6 mg/l - Duration h: 504

Endpoint: NOEC - Species: Fish = 250 mg/l - Duration h: 504

Cineole - CAS: 470-82-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: pesci 1 = 57 mg/l - Duration h: 96

I:

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Endpoint: EC50 - Species: alghe 4 = 0.23 mg/l - Duration h: 72
Allyl heptanoate - CAS: 142-19-8
a) Aquatic acute toxicity:
Endpoint: LC50 - Species: pesci 5 = 50.5 ug/l - Duration h: 96
b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: pesci 5 = 59 ug/l - Duration h: 28 - Notes: giorni
I:
Endpoint: EC14 - Species: alghe 4 = 1.94 mg/l - Duration h: 72

12.2. Persistence and degradability

Etanolo - CAS: 64-17-5
Biodegradability: Readily biodegradable

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 40

Restriction 75

Pronto all'Uso

Volatile Organic compounds - VOCs = 1.69 %

Volatile Organic compounds - VOCs = 16.91 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H226 Flammable liquid and vapour.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

H315 Causes skin irritation.

H311 Toxic in contact with skin.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Sens. 1A, H317	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Safety Data Sheet

SANITEC DEO FRESH Pino & Ginepro

	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.