

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: SANITEC NEOPOL GREEN POWER

Trade code: 3106

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Concentrated glasswasher liquid

#### 1.3. Details of the supplier of the safety data sheet

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049 8792456

- [www.sanitecitalia.com](http://www.sanitecitalia.com)

Competent person responsible for the safety data sheet:

[regulatory@italchimica.it](mailto:regulatory@italchimica.it)

#### 1.4. Emergency telephone number

Centro antiveleni, "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA, Piazza Sant'Onofrio, 4 Roma Tel. 06 68593726

Centro antiveleni, Az. Osp. Univ. Foggia, V.le Luigi Pinto 1, Foggia Tel. 800183459

Centro antiveleni, Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, Via A. Cardarelli 9, Napoli Tel. 081-5453333

Centro antiveleni, Policlinico "Umberto I", V.le del Policlinico 155, Roma Tel. 06-49978000

Centro antiveleni, Policlinico "A. Gemelli", Largo Agostino Gemelli 8, Roma Tel. 06-3054343

Centro antiveleni, Az. Osp. "Careggi" U.O. Tossicologia Medica, Via Largo Brambilla 3, Firenze Tel. 055-7947819

Centro antiveleni, Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica di Lavoro e della riabilitazione, Via Salvatore Maugeri 10, Pavia Tel. 0382-24444

Centro antiveleni Osp. Niguarda Ca' Grande, Piazza Ospedale Maggiore 3, Milano Tel. 02-66101029

Centro antiveleni, Azienda Ospedaliera Papa Giovanni XXII, Piazza OMS 1, Bergamo Tel. 800883300

Centro antiveleni, Azienda Ospedaliera Integrata Verona, Piazzale Aristide Stefani 1, Verona Tel. 800011858

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.  
 Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash face and hands and any exposed skin after use.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special Provisions:

None

Contains

Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one: May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

Product contents:

Anionic surfactants 5 - 15 %

Amphoteric surfactants < 5 %

Preservatives: Benzisothiazolinone, Metilchloroisotiazolinone, Metilisotiazolinone

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 5% - < 7.5%	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS: 68891-38-3 REACH No.: 01-2119488639-16-0009	⚠ 3.2/2 Skin Irrit. 2 H315 4.1/C3 Aquatic Chronic 3 H412 ⚠ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: 5% <= C < 10%: Eye Irrit. 2 H319 C >= 10%: Eye Dam. 1 H318
>= 5% - < 7.5%	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs.	CAS: 85536-14-7 EC: 287-494-3 REACH No.: 01-	⚠ 3.1/4/Oral Acute Tox. 4 H302 4.1/C3 Aquatic Chronic 3 H412 ⚠ 3.2/1B Skin Corr. 1B H314

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

			2119490234 -40-0000	◇ 3.3/1 Eye Dam. 1 H318
>= 2.5% - < 5%	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered	CAS:	147170-44-3	◇ 3.3/1 Eye Dam. 1 H318 4.1/C3 Aquatic Chronic 3 H412 Specific Concentration Limits: C >= 10,1%: Eye Dam. 1 H318 4% <= C < 10,1%: Eye Irrit. 2 H319
< 2.5%	sodium hydroxide	Index number: CAS: EC: REACH No.:	011-002-00-6 1310-73-2 215-185-5 01- 2119457892 -27-xxxx	◇ 2.16/1 Met. Corr. 1 H290 ◇ 3.2/1A Skin Corr. 1A H314 ◇ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 5%: Skin Corr. 1A H314 2% <= C < 5%: Skin Corr. 1B H314 0,5% <= C < 2%: Skin Irrit. 2 H315 0,5% <= C < 2%: Eye Irrit. 2 H319
< 2.5%	Mixture of: 5-chloro-2-methyl-2H-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	Index number: CAS: REACH No.:	613-167-00-5 55965-84-9 01- 2120764691 -48-XXXX	◇ 3.1/2/Dermal Acute Tox. 2 H310 ◇ 3.1/2/Inhal Acute Tox. 2 H330 ◇ 3.3/1 Eye Dam. 1 H318 ◇ 3.1/3/Oral Acute Tox. 3 H301 ◇ 3.2/1 Skin Corr. 1 H314 ◇ 3.4.2/1 Skin Sens. 1 H317 ◇ 4.1/A1 Aquatic Acute 1 H400 ◇ 4.1/C1 Aquatic Chronic 1 H410 EUH071 Specific Concentration Limits: C >= 0,6%: Skin Corr. 1C H314 0,06% <= C < 0,6%: Skin Irrit. 2 H315 C >= 0,6%: Eye Dam. 1 H318 0,06% <= C < 0,6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1 H317

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

**4.2. Most important symptoms and effects, both acute and delayed**

None

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

**6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

**6.4. Reference to other sections**

See also section 8 and 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

sodium hydroxide - CAS: 1310-73-2

ACGIH - STEL: Ceiling 2 mg/m<sup>3</sup> - Notes: URT, eye, and skin irr

DNEL Exposure Limit Values

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

Worker Professional: 2750 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 175 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 52 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

Worker Professional: 170 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 12 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 85 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 3 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 0.85 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

Target: Fresh Water - Value: 0.24 mg/l

Target: Soil (agricultural) - Value: 0.946 mg/kg

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water - Value: 0.024 mg/l

Target: Marine water sediments - Value: 0.545 mg/kg

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

Target: Fresh Water - Value: 0.287 mg/l

Target: Marine water - Value: 0.0287 mg/l

Target: Microorganisms in sewage treatments - Value: 3.43 mg/l

Target: Freshwater sediments - Value: 0.287 mg/l

Target: Soil (agricultural) - Value: 35 mg/kg

### 8.2. Exposure controls

Eye protection:

Use closed safety visors complying with EN 166, do not use eye lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves in compliance with the UNI EN 374-3 standard of class 3 or higher (eg PVC, neoprene or rubber). The suitability and stability of a glove depend on use; for example, the duration, the contact frequency and the chemical resistance of the materials, so the final choice must consider the specific conditions of use.

Respiratory protection:

Not needed for normal use.

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Thermal Hazards:
None
Environmental exposure controls:
None
Appropriate engineering controls:
None

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	--	--
Colour:	Transparent	--	--
Odour:	Technique	Olfactory	--
Melting point/freezing point:	Not Relevant	--	--
Boiling point or initial boiling point and boiling range:	Not Relevant	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not Relevant	--	--
Flash point:	N.A.		--
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
pH:	7.0 +/- 0.5	Instrumental Control	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Excellent	Internal Tests	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient n-octanol/water (log value):	Not Relevant	--	--
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Density and/or relative density:	1.0300 +/- 0,01 gr/ml	--	--
Relative vapour density:	Not Relevant	--	--

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Particle characteristics:			
Particle size:	N.A.	--	--
9.2. Other information No other relevant information			
<b>SECTION 10: Stability and reactivity</b>			
<b>10.1. Reactivity</b> Stable under normal conditions			
<b>10.2. Chemical stability</b> Stable under normal conditions			
<b>10.3. Possibility of hazardous reactions</b> None			
<b>10.4. Conditions to avoid</b> Stable under normal conditions.			
<b>10.5. Incompatible materials</b> None in particular.			
<b>10.6. Hazardous decomposition products</b> None.			
<b>SECTION 11: Toxicological information</b>			
<b>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>			
Toxicological information of the product: N.A.			
Toxicological information of the main substances found in the product: Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3			
a) acute toxicity: Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg Test: LD50 - Route: Oral - Species: Rat 4100 mg/kg			
b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVA OECD 404 Test: Eye Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVE OECD 405 Test: Respiratory Tract Irritant - Route: Inhalation Negative			
d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin Negative - Notes: Organismo - Porcellino d'India			
e) germ cell mutagenicity: Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 471 Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 476 Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 475			
g) reproductive toxicity: Test: Reproductive Toxicity - Species: Rat > 300 mg/kg Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7			
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg - Source: OECD TG401 - Notes: Nocivo se ingerito			
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD TG 402			
b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Yes - Source: OECD TG 404 - Notes: Corrosivo			
c) serious eye damage/irritation: Test: Eye Irritant - Route: Skin - Species: Rabbit Yes - Source: OECD TG 405 - Notes: Può procurare Dani irreversibili agli occhi			
d) respiratory or skin sensitisation:			

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Test: Respiratory Sensitization - Route: Inhalation No - Source: OECD TG 406 - Notes: Porcellino d'India non sensibilizzante

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium No - Source: OECD TG 401 - Notes: Test di Ames - TEst in Vitro

f) carcinogenicity:

Test: Carcinogenicity No

g) reproductive toxicity:

Test: Reproductive Toxicity No - Notes: NOALE 350mg/kg giorno

h) STOT-single exposure:

Test: Skin Sensitization No

i) STOT-repeated exposure:

Test: Skin Sensitization No

If not differently specified, the information required in Regulation (EU)2020/878 listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Alcohols, C12-14, ethoxylated,sulfates, sodium salts - CAS: 68891-38-3

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 7.4 mg/l - Duration h: 48

Species: Algae 27.7 mg/l - Duration h: 72 - Notes: ErC50 Tasso di crescita

Endpoint: LC50 - Species: Fish 7.1 mg/l - Duration h: 96

Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Duration h: 504

Endpoint: NOEC - Species: Fish 1 mg/l - Duration h: 1080

c) Bacteria toxicity:

> 10 g/kg - Duration h: 16 - Notes: EC10

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. - CAS: 85536-14-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96 - Notes: OECD TG 203 -

Prova semistatica | US EPA 1975 Prova statica

Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48 - Notes: OECD TG 202 - Prova Statica

Endpoint: EC50 - Species: Algae > 10-100 mg/l - Duration h: 72 - Notes: OECD TG 201 Prova semistatica

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.1-1 mg/l - Duration h: 4704 - Notes: Prova a flusso continuo

Endpoint: NOEC - Species: Daphnia > 1-10 mg/l - Duration h: 504 - Notes: Prova a flusso continuo

c) Bacteria toxicity:

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

51 mg/kg - Duration h: 336 - Notes: EC10 - Test di inibizione di moltiplicazione cromosomica

d) Terrestrial toxicity:

Endpoint: LC50 > 1000 mg/kg - Duration h: 336 - Notes: OECD TG 207 - TEst su Eisenia fetica

e) Plant toxicity:

Endpoint: EC50 167 mg/kg - Duration h: 504 - Notes: OECD TG 208 - Test su Sorghum bicolor

**12.2. Persistence and degradability**

N.A.

**12.3. Bioaccumulative potential**

N.A.

**12.4. Mobility in soil**

N.A.

**12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

**12.6. Endocrine disrupting properties**

No endocrine disruptor substances present in concentration >= 0.1%

**12.7. Other adverse effects**

None

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Recover if possible. In so doing, comply with the local and national regulations currently in force.

**SECTION 14: Transport information**

**14.1. UN number or ID number**

Not classified as dangerous in the meaning of transport regulations.

**14.2. UN proper shipping name**

N.A.

**14.3. Transport hazard class(es)**

N.A.

**14.4. Packing group**

N.A.

**14.5. Environmental hazards**

ADR-Enviromental Pollutant: No

IMDG-Marine pollutant: No

**14.6. Special precautions for user**

N.A.

**14.7. Maritime transport in bulk according to IMO instruments**

N.A.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

    Restriction 3

Restrictions related to the substances contained:

    Restriction 75

Pronto all'Uso

Volatile Organic compounds - VOCs = 0.00 %

Volatile Organic compounds - VOCs = 0.00 g/Kg

Volatile Organic compounds - VOCs = 0.00 g/l

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 0.00

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr. 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

    None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## SECTION 16: Other information

Full text of phrases referred to in Section 3:

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1	3.2/1	Skin corrosion, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

# Safety Data Sheet

## SANITEC NEOPOL GREEN POWER

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.